

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.


2.57

=1951=

Rev

DATE

Somerset Rose Nursery, Inc
seeds • plants
P New Brunswick, N.J.



SPECIAL PRE SEASON OFFERS

SHIP TO _____

QUANTITY

WHEN SHIP

SHIP VIA

ASTER

FRIKARTI WONDER OF STAFA: Produces masses of long stemmed single pale blue flowers. Nice to cut.

3" pot plants—\$2.25 per 10, \$18.00 per 100, \$150.00 per M

BLEEDING HEART

SPECTABILIS: The tall growing showy variety. We offer strong undivided field grown plants, dug fresh.

Selected Heavy Plants—\$4.50 per 10, \$40.00 per 100

Regular Garden Size—\$3.50 per 10, \$30.00 per 100

DORONICUM

EXCELSUM: Large pale yellow flowers that resemble Gerberas are produced on 2-3 ft. stems in late April and early May. A really choice, hardy cut flower.

Strong Divisions—\$2.50 per 10, \$20.00 per 100, \$175.00 per M

DELPHINUM

BELLADONNA IMP: A choice strain of this favorite pale blue cut flower.

LAMARTINE: Mildew resistant, vigorous growing dark blue with white eye.

SOMERSET HYBRIDS: Blackmore and Langdon type in all shades of blue including doubles and singles.

Strong 1 yr. F.G. above 3 varieties—\$1.50 per 10, \$12.00 per 100, \$100.00 per M

PACIFIC HYBRIDS: Well known double strain grown from originators seed.
(Galahad—King Arthur—Guinevere—Black Knight—Summer Skies—Blue Jay

SEPARATE VARIETIES 1 yr. F. G. \$2.50 per 10, \$20.00 per 100

MIXED PACIFIC 1 yr. F.G.—\$2.00 per 10, \$15.00 per 100, \$135.00 per M

Special collections of the above 4 classes of Delphinium, our selection.

250 Plants assorted and labeled—\$27.45

500 Plants assorted and labeled \$49.95

GYPSOPHILLA

QUANTITY	BRISTOL FAIRY: The double white so excellent for all cut flower purposes. May also be dried. We offer strong grafted F.G. plants that will flower freely this season.
	SELECTED GRADE—\$5.00 per 10, \$40.00 per 100, \$350.00 per M
	REGULAR GRADE—\$4.00 per 10, \$35.00 per 100, \$200.00 per M
	2½" GRAFTED—\$3.00 per 10, \$22.50 per 100, \$200.00 per M
	FLAMINGO: The new double pink. A really attractive cut flower garden item. Strong F.G. grafted plants—\$7.50 per 10, \$50.00 per 100

HARDY PHLOX

The top varieties are included in this list, and you can be sure that any variety you select is the best of its color or type.

ADONIS, deep scarlet	\$2.00	\$18.00
A. L. SCHLAGETER, rich scarlet	2.50	18.00
AMETHYST, pale violet blue	2.00	15.00
DAILY SKETCH, immense flower, soft pink	2.50	18.00
FESTIVAL, white with red eye	2.00	15.00
FIDELIO, deep red eye shading to light pink at the petal edges	2.00	15.00
FLASH, rich dark red	2.00	15.00
MARY LOUISE, most popular white	2.00	15.00
MISS LINGARD, favorite early white	2.00	15.00
PURPLE HEART, rich deep violet blue	2.50	18.00
RHEINLANDER, deep salmon pink	2.00	15.00
SALMON BEAUTY, soft salmon, white eye	2.00	15.00
SALMON GLOW, brilliant salmon	2.00	15.00
SPITFIRE, orange scarlet	2.00	15.00

Special Phlox Collections — Your opportunity to buy at a real saving.

100 plants—10 named varieties our selection	15.00
250 plants—10 named varieties our selection	29.95
500 plants—10 named varieties our selection	49.95

NOTE: 250 or more of a variety supplied at the 1000 rate
25 or more at the 100 rate

DISCOUNTS

2% may be deducted when cash accompanies the order.

Use these sheets as your order form. Simply mark the number of each item you wish us to send you.

with moderate variability for all species. In the case of *U. tenuis* and *U. elongata* the effect of diet was significant for both males and females, while for *U. stans* it was significant only for females. The effect of diet was not significant for *U. tenuis* and *U. elongata*.

If we consider the results of the two experiments together, the diet effect is significant for both males and females in *U. tenuis*, *U. elongata* and *U. stans*.

2.3.4.3.7.3.2

The question may arise whether the diet effect observed here is due to the fact that the diet was different in the two experiments.

Table 1 shows the diet composition of the two experiments. The diet was different in the two experiments.

Table 1 shows the diet composition of the two experiments. The diet was different in the two experiments.

Table 1 shows the diet composition of the two experiments. The diet was different in the two experiments.

Table 1 shows the diet composition of the two experiments. The diet was different in the two experiments.

Table 1 shows the diet composition of the two experiments. The diet was different in the two experiments.

Table 1 shows the diet composition of the two experiments. The diet was different in the two experiments.

Table 1 shows the diet composition of the two experiments. The diet was different in the two experiments.

Table 1 shows the diet composition of the two experiments. The diet was different in the two experiments.

Table 1 shows the diet composition of the two experiments. The diet was different in the two experiments.

Table 1 shows the diet composition of the two experiments. The diet was different in the two experiments.

Table 1 shows the diet composition of the two experiments. The diet was different in the two experiments.

Table 1 shows the diet composition of the two experiments. The diet was different in the two experiments.

Table 1 shows the diet composition of the two experiments. The diet was different in the two experiments.

Table 1 shows the diet composition of the two experiments. The diet was different in the two experiments.

Table 1 shows the diet composition of the two experiments. The diet was different in the two experiments.